

作用機制	藥劑名稱	地下部線蟲	根瘤線蟲	立枯病	黑點根腐病	蔓割病	蔓枯病	幼苗疫病	疫病	露菌病	炭疽病	白粉病	細菌性斑點病
1A	毆殺滅	◎	○										
1A + 1B	托福毆殺滅	○	◎										
1B	托福松	○	◎										
	芬滅松	○	◎										
	普伏松	○	◎										
	福賽絕	○	◎										
A1	右滅達樂							○	◎	○			
	殺紋寧			◎ (限苗期使用)									
A1 + F3	殺紋依得利			◎ (限苗期使用)									
A2	布瑞莫											◎	
	依瑞莫											◎	
B1	甲基多保淨						◎				○		
	免賴得											◎	
B1 + G1	貝芬待克利										◎		
	貝芬寧						◎					○	
	貝芬撲克拉						◎				○	○	
	賽福保淨										○	◎	
B1 + H4	保粒保淨						◎			○	○		
B4 + G1	寶得克利			○						◎	○		
B5 + F4	氟比拔克							○	◎	◎			
BM02	蓋棘木黴菌								◎				
C2	白克列										○	◎	
	亞派占											◎	
C2 + C3	白列克敏						◎	○	○	○	○	○	
	氟殺克敏			○				○	○	○	○	◎	
C3	三氟敏						◎				○	○	
	百克敏							○	○	◎	◎		
	克收欣										○	◎	
	亞托敏						◎	○	◎	◎	○	○	
C3 + G1	三氟得克利						○				◎	○	
	亞托待克利						○	○	○	○	◎	○	
C3 + H5	達滅克敏						○	○	◎	○			
C3 + U1	凡殺克絕						○	○	◎				
C4	安美速							○	○	◎			
	賽座滅							○	◎	◎			
D1	賽普洛											◎	
D1 + G1	賽普待克利						○					◎	
E1	快諾芬											◎	
E3	撲滅寧						◎					○	
F2	白粉松											◎	
F3	依得利							○	◎				
	脫克松			○	◎								
F4	普拔克							◎	○	◎			
	三泰芬											◎	
	三泰隆											◎	
	四克利			○								◎	
												◎	

作用機制	藥劑名稱	地下部線蟲	根瘤線蟲	立枯病	黑點根腐病	蔓割病	蔓枯病	幼苗疫病	疫病	露菌病	炭疽病	白粉病	細菌性斑點病
G1	平克座											◎	
	依滅列						◎					◎	
	芬瑞莫											◎	
	待克利						◎				◎		
	得克利										○	◎	
	撲克拉					○					◎	◎	
	撲克拉錳						◎				○	○	
	賽福座											◎	
	邁克尼										○	◎	
	護矽得						◎					○	
	G1 + U8	賽福芬胺											◎
H4	保粒黴素丁						◎						
	保粒黴素甲											◎	
H5	達滅芬						○	◎	◎				
H5 + U1	達滅克絕						○	○	◎				
M1	三元硫酸銅							○	○	◎			
	快得寧							○	○	◎			
	波爾多							○	○	◎			
	硫酸銅									○		◎	
M1 + A1	快得滅達樂							○	○	◎			
	銅本達樂							○	○	◎			
M1 + B1	銅合腐絕						○	○	◎			○	
M1 + M1	硫酸快得寧							○	○	◎			
	銅快得寧							○	○	○		◎	
	鹼氣氫氧化銅							○	○	◎			○
M1 + M3	銅錳乃浦						○	○	◎				
M1 + U1	克絕波爾多						○	○	◎				
M1 + U2	福賽快得寧						○	○	◎				
M10	蟬離丹											◎	
M2 + B1	硫免賴得											◎	
M3	甲基鋅乃浦							○	○	○	◎		
	免得爛							○	○	◎			
	鋅錳乃浦							○	○		◎		
M3 + A1	甲鋅歐殺斯							○	○	◎	○		
	鋅錳右滅達樂							○	○	◎			
	鋅錳滅達樂							○	○	◎			
M3 + B1	甲鋅保淨							○	○		◎		
	貝芬得							○	○	○	◎		
	貝芬錳					◎							
M3 + B3	鋅錳座賽胺								◎	○			
M3 + C3	免得克敏						○	◎	◎	○	○		
M3 + U1	鋅錳克絕						○	○	◎	○			
M5	四氯異苯腈							○	○	◎	◎		
M5 + B1	四氯保淨						○	○	○	○	◎		
M5 + C3	四氯托敏						○	○	○	◎	◎		
M5 + U2	四氯賽得							○	○	◎			
M7	克熱淨(烷苯磺酸鹽)										○	◎	
NC	碳酸氫鉀											◎	
	礦物油											◎	
U10	滅芬農											◎	

作用機制	藥劑名稱	地下部線蟲	根瘤線蟲	立枯病	黑點根腐病	蔓割病	蔓枯病	幼苗疫病	疫病	露菌病	炭疽病	白粉病	細菌性斑點病
U2	福賽得							○	○	◎			
UN	滅紋			○							◎		
	鐵甲砷酸銨			○							◎		
UN + UN	溴氯腈					◎							

葫蘆科瓜果類作物包括西瓜、甜瓜(香瓜、洋香瓜)等。

◎ 代表已登記在該使用範圍。

○ 代表已在國內登記於防治其他作物上不同病害種類。

上述資料如有錯誤，以主管機關公告為準。