

| 作用機制 | 藥劑名稱 | 薊馬類 | 蚜蟲類 | 根、莖潛蠅 | 赤葉蟎 | 細蟎類 | 小綠葉蟬 | 粉蝨類 | 切根蟲 | 螟蛾類 | 夜蛾類 | 毒蛾類 | 鱗翅目害蟲 |
|-------|--------------|-----|-----|-------|-----|-----|------|-----|-----|-----|-----|-----|-------|
| 1A | 加保利 | ○ | ○ | | | | ◎ | | | ○ | ○ | ○ | |
| | 納乃得 | ○ | ○ | | | | | | | ○ | ○ | ○ | ◎ |
| | 硫敵克 | ○ | | | | | | | | | ○ | ○ | ◎ |
| | 覆滅蟎 | ◎ | | | ○ | | | | | | | | |
| 1B | 佈飛松 | ◎ | | | | | | | | ○ | ◎ | ◎ | |
| | 陶斯松 | ○ | ○ | | | | | | ○ | ○ | ◎ | ○ | ○ |
| | 硫滅松 | | | | ◎ | | | | | | | | |
| 1B+3A | 佈飛百滅寧 | | | | | | | | | | ◎ | ◎ | |
| | 硫敵芬化利 | | | | | | ◎ | | | | | | |
| 3A | 賽洛寧 | ◎ | ○ | | | | | | | ○ | ○ | ○ | |
| | 賽滅寧 | ○ | | | | | | | | ○ | ◎ | ○ | |
| | 第滅寧 | ○ | ◎ | | | | | ○ | | ○ | ○ | | ○ |
| | 畢芬寧 | ◎ | ○ | | ○ | | | ○ | | | ◎ | ○ | ◎ |
| | 芬化利 | | | | | | | | ◎ | ○ | ○ | ○ | ◎ |
| 4A | 亞滅培 | ◎ | ○ | | | | ○ | | | ○ | | | |
| 5 | 賜諾殺 | ◎ | | | | | | | | ○ | ○ | | |
| | 賜諾特 | ◎ | | | | | | | | ◎ | ◎ | ◎ | |
| 6 | 因滅汀 | | | | | | | | | ○ | ◎ | ○ | ○ |
| 11 | 鮎澤蘇力菌 NB-200 | | | | | | | | | | ○ | | ◎ |
| 12C | 毆蟎多 | | | | ◎ | | | | | | | | |
| 15 | 六伏隆 | | | | | | | | | | ◎ | | |
| 17 | 賽滅淨 | | | ◎ | | | | | | | | | |
| 18 | 得芬諾 | | | | | | | | | ○ | ◎ | ○ | |
| | 滅芬諾 | | | | | | | | | | ◎ | | |
| 22A | 因得克 | | | | | | | | | ○ | ◎ | ○ | |
| 23 | 賜派滅 | ◎ | | | | | | ◎ | | | | | |
| 28 | 剋安勃 | | | | | | | | | | ◎ | ○ | |
| UN | 新殺蟎 | | | | ○ | ◎ | | | | | | | |

◎ 代表已登記在該使用範圍。

○ 代表已在國內登記於防治其他作物上不同病害種類。

上述資料如有錯誤，以主管機關公告為準。