

| 作用機制    | 藥劑名稱  | 地下部線蟲 | 根瘤線蟲 | 立枯病          | 黑點根腐病 | 蔓割病 | 蔓枯病 | 幼苗疫病 | 疫病 | 露菌病 | 炭疽病 | 白粉病 | 細菌性斑點病 |
|---------|-------|-------|------|--------------|-------|-----|-----|------|----|-----|-----|-----|--------|
| 1A      | 毆殺滅   | ◎     | ○    |              |       |     |     |      |    |     |     |     |        |
| 1A + 1B | 托福毆殺滅 | ○     | ◎    |              |       |     |     |      |    |     |     |     |        |
| 1B      | 托福松   | ○     | ◎    |              |       |     |     |      |    |     |     |     |        |
|         | 芬滅松   | ○     | ◎    |              |       |     |     |      |    |     |     |     |        |
|         | 普伏松   | ○     | ◎    |              |       |     |     |      |    |     |     |     |        |
|         | 福賽絕   | ○     | ◎    |              |       |     |     |      |    |     |     |     |        |
| A1      | 右滅達樂  |       |      |              |       |     |     | ○    | ◎  | ○   |     |     |        |
|         | 殺紋寧   |       |      | ◎<br>(限苗期使用) |       |     |     |      |    |     |     |     |        |
| A1 + F3 | 殺紋依得利 |       |      | ◎<br>(限苗期使用) |       |     |     |      |    |     |     |     |        |
| A2      | 布瑞莫   |       |      |              |       |     |     |      |    |     |     | ◎   |        |
|         | 依瑞莫   |       |      |              |       |     |     |      |    |     |     | ◎   |        |
| B1      | 甲基多保淨 |       |      |              |       |     | ◎   |      |    |     | ○   |     |        |
|         | 免賴得   |       |      |              |       |     |     |      |    |     |     | ◎   |        |
| B1 + G1 | 貝芬待克利 |       |      |              |       |     |     |      |    |     | ◎   |     |        |
|         | 貝芬寧   |       |      |              |       |     | ◎   |      |    |     |     | ○   |        |
|         | 貝芬撲克拉 |       |      |              |       |     | ◎   |      |    |     | ○   | ○   |        |
|         | 賽福保淨  |       |      |              |       |     |     |      |    |     | ○   | ◎   |        |
| B1 + H4 | 保粒保淨  |       |      |              |       | ◎   |     |      |    | ○   | ○   |     |        |
| B4 + G1 | 賓得克利  |       |      | ○            |       |     |     |      |    |     | ◎   | ○   |        |
| B5 + F4 | 氟比拔克  |       |      |              |       |     |     | ○    | ◎  | ◎   |     |     |        |
| BM02    | 蓋棘木黴菌 |       |      |              |       |     |     |      | ◎  |     |     |     |        |
| C2      | 白克列   |       |      |              |       |     |     |      |    |     | ○   | ◎   |        |
|         | 亞派占   |       |      |              |       |     |     |      |    |     |     | ◎   |        |
| C2 + C3 | 白列克敏  |       |      |              |       |     | ◎   | ○    | ○  | ○   | ○   | ○   |        |
|         | 氟殺克敏  |       |      | ○            |       |     |     | ○    | ○  | ○   | ○   | ◎   |        |
| C3      | 三氟敏   |       |      |              |       |     | ◎   |      |    |     | ○   | ○   |        |
|         | 百克敏   |       |      |              |       |     |     | ○    | ○  | ◎   | ◎   |     |        |
|         | 克收欣   |       |      |              |       |     |     |      |    |     | ○   | ◎   |        |
|         | 亞托敏   |       |      |              |       |     | ◎   | ○    | ◎  | ◎   | ○   | ○   |        |
| C3 + G1 | 三氟得克利 |       |      |              |       |     | ○   |      |    |     | ◎   | ○   |        |
|         | 亞托待克利 |       |      |              |       |     | ○   | ○    | ○  | ○   | ◎   | ○   |        |
| C3 + H5 | 達滅克敏  |       |      |              |       |     | ○   | ○    | ◎  | ○   |     |     |        |
| C3 + U1 | 凡殺克絕  |       |      |              |       |     | ○   | ○    | ◎  |     |     |     |        |
| C4      | 安美速   |       |      |              |       |     |     | ○    | ○  | ◎   |     |     |        |
|         | 賽座滅   |       |      |              |       |     |     | ○    | ◎  | ◎   |     |     |        |
| D1      | 賽普洛   |       |      |              |       |     |     |      |    |     |     | ◎   |        |
| D1 + G1 | 賽普待克利 |       |      |              |       |     | ○   |      |    |     |     | ◎   |        |
| E1      | 快諾芬   |       |      |              |       |     |     |      |    |     |     | ◎   |        |
| E3      | 撲滅寧   |       |      |              |       |     | ◎   |      |    |     |     | ○   |        |
| F2      | 白粉松   |       |      |              |       |     |     |      |    |     |     | ◎   |        |
| F3      | 依得利   |       |      |              |       |     |     | ○    | ◎  |     |     |     |        |
|         | 脫克松   |       |      | ○            | ◎     |     |     |      |    |     |     |     |        |
| F4      | 普拔克   |       |      |              |       |     |     | ◎    | ○  | ◎   |     |     |        |
|         | 三泰芬   |       |      |              |       |     |     |      |    |     |     | ◎   |        |
|         | 三泰隆   |       |      |              |       |     |     |      |    |     |     | ◎   |        |
|         | 四克利   |       |      | ○            |       |     |     |      |    |     |     | ◎   |        |

| 作用機制    | 藥劑名稱       | 地下部線蟲 | 根瘤線蟲 | 立枯病 | 黑點根腐病 | 蔓割病 | 蔓枯病 | 幼苗疫病 | 疫病 | 露菌病 | 炭疽病 | 白粉病 | 細菌性斑點病 |
|---------|------------|-------|------|-----|-------|-----|-----|------|----|-----|-----|-----|--------|
| G1      | 平克座        |       |      |     |       |     |     |      |    |     |     | ◎   |        |
|         | 依滅列        |       |      |     |       |     | ◎   |      |    |     |     | ◎   |        |
|         | 芬瑞莫        |       |      |     |       |     |     |      |    |     |     | ◎   |        |
|         | 待克利        |       |      |     |       |     | ◎   |      |    |     | ◎   |     |        |
|         | 得克利        |       |      |     |       |     |     |      |    |     | ○   | ◎   |        |
|         | 撲克拉        |       |      |     |       | ○   |     |      |    |     | ◎   | ◎   |        |
|         | 撲克拉錳       |       |      |     |       |     | ◎   |      |    |     | ○   | ○   |        |
|         | 賽福座        |       |      |     |       |     |     |      |    |     |     | ◎   |        |
|         | 邁克尼        |       |      |     |       |     |     |      |    |     | ○   | ◎   |        |
|         | 護矽得        |       |      |     |       |     | ◎   |      |    |     |     | ○   |        |
|         | G1 + U8    | 賽福芬胺  |      |     |       |     |     |      |    |     |     | ◎   |        |
| H4      | 保粒黴素丁      |       |      |     |       |     | ◎   |      |    |     |     |     |        |
|         | 保粒黴素甲      |       |      |     |       |     |     |      |    |     |     | ◎   |        |
| H5      | 達滅芬        |       |      |     |       |     | ○   | ◎    | ◎  |     |     |     |        |
| H5 + U1 | 達滅克絕       |       |      |     |       |     | ○   | ○    | ◎  |     |     |     |        |
| M1      | 三元硫酸銅      |       |      |     |       |     |     | ○    | ○  | ◎   |     |     |        |
|         | 快得寧        |       |      |     |       |     |     | ○    | ○  | ◎   |     |     |        |
|         | 波爾多        |       |      |     |       |     |     | ○    | ○  | ◎   |     |     |        |
|         | 硫酸銅        |       |      |     |       |     |     |      |    | ○   |     | ◎   |        |
| M1 + A1 | 快得滅達樂      |       |      |     |       |     |     | ○    | ○  | ◎   |     |     |        |
|         | 銅本達樂       |       |      |     |       |     |     | ○    | ○  | ◎   |     |     |        |
| M1 + B1 | 銅合腐絕       |       |      |     |       |     | ○   | ○    | ◎  |     |     | ○   |        |
| M1 + M1 | 硫酸快得寧      |       |      |     |       |     |     | ○    | ○  | ◎   |     |     |        |
|         | 銅快得寧       |       |      |     |       |     |     | ○    | ○  | ○   |     |     | ◎      |
|         | 鹼氣氫氧化銅     |       |      |     |       |     |     | ○    | ○  | ◎   |     |     | ○      |
| M1 + M3 | 銅錳乃浦       |       |      |     |       |     | ○   | ○    | ◎  |     |     |     |        |
| M1 + U1 | 克絕波爾多      |       |      |     |       |     | ○   | ○    | ◎  |     |     |     |        |
| M1 + U2 | 福賽快得寧      |       |      |     |       |     | ○   | ○    | ◎  |     |     |     |        |
| M10     | 蟻離丹        |       |      |     |       |     |     |      |    |     |     | ◎   |        |
| M2 + B1 | 硫免賴得       |       |      |     |       |     |     |      |    |     |     | ◎   |        |
| M3      | 甲基鋅乃浦      |       |      |     |       |     |     | ○    | ○  | ○   | ◎   |     |        |
|         | 免得爛        |       |      |     |       |     |     | ○    | ○  | ◎   |     |     |        |
|         | 鋅錳乃浦       |       |      |     |       |     |     | ○    | ○  |     | ◎   |     |        |
| M3 + A1 | 甲鋅毆殺斯      |       |      |     |       |     |     | ○    | ○  | ◎   | ○   |     |        |
|         | 鋅錳右滅達樂     |       |      |     |       |     |     | ○    | ○  | ◎   |     |     |        |
|         | 鋅錳滅達樂      |       |      |     |       |     |     | ○    | ○  | ◎   |     |     |        |
| M3 + B1 | 甲鋅保淨       |       |      |     |       |     |     | ○    | ○  |     | ◎   |     |        |
|         | 貝芬得        |       |      |     |       |     |     | ○    | ○  | ○   | ◎   |     |        |
|         | 貝芬錳        |       |      |     |       | ◎   |     |      |    |     |     |     |        |
| M3 + B3 | 鋅錳座賽胺      |       |      |     |       |     |     |      | ◎  | ○   |     |     |        |
| M3 + C3 | 免得克敏       |       |      |     |       |     | ○   | ◎    | ◎  | ○   | ○   |     |        |
| M3 + U1 | 鋅錳克絕       |       |      |     |       |     | ○   | ○    | ◎  | ○   |     |     |        |
| M5      | 四氯異苯腈      |       |      |     |       |     |     | ○    | ○  | ◎   | ◎   |     |        |
| M5 + B1 | 四氯保淨       |       |      |     |       |     | ○   | ○    | ○  | ○   | ◎   |     |        |
| M5 + C3 | 四氯托敏       |       |      |     |       |     | ○   | ○    | ○  | ◎   | ◎   |     |        |
| M5 + U2 | 四氯賽得       |       |      |     |       |     |     | ○    | ○  | ◎   |     |     |        |
| M7      | 克熱淨(烷苯磺酸鹽) |       |      |     |       |     |     |      |    |     | ○   | ◎   |        |
| NC      | 碳酸氫鉀       |       |      |     |       |     |     |      |    |     |     | ◎   |        |
|         | 礦物油        |       |      |     |       |     |     |      |    |     |     | ◎   |        |
| U10     | 滅芬農        |       |      |     |       |     |     |      |    |     |     | ◎   |        |

| 作用機制    | 藥劑名稱  | 地下部線蟲 | 根瘤線蟲 | 立枯病 | 黑點根腐病 | 蔓割病 | 蔓枯病 | 幼苗疫病 | 疫病 | 露菌病 | 炭疽病 | 白粉病 | 細菌性斑點病 |
|---------|-------|-------|------|-----|-------|-----|-----|------|----|-----|-----|-----|--------|
| U2      | 福賽得   |       |      |     |       |     |     | ○    | ○  | ◎   |     |     |        |
| UN      | 滅紋    |       |      | ○   |       |     |     |      |    |     | ◎   |     |        |
|         | 鐵甲砷酸鉍 |       |      | ○   |       |     |     |      |    |     | ◎   |     |        |
| UN + UN | 溴氯腈   |       |      |     |       | ◎   |     |      |    |     |     |     |        |

葫蘆科瓜果類作物包括西瓜、甜瓜(香瓜、洋香瓜)等。

◎ 代表已登記在該使用範圍。

○ 代表已在國內登記於防治其他作物上不同病害種類。

上述資料如有錯誤，以主管機關公告為準。